


LevelPro® — 250L Series

Loop Powered Liquid Level Display

ICON™ Corrosion-Free
PROCESS CONTROLS Instrumentation Equipment




Chameleon Color Display
Outdoor Visibility Display Automatically
Changes from **Blue** to **Green**



LevelPro® — 250L Series

Loop Powered Liquid Level Display

LevelPro®



Features


- ✓ Loop Powered
- ✓ Super Bright 4 Digit LCD Display
- ✓ Chameleon Color Display
- ✓ 4-20mA Input
- ✓ Momentary or Adjustable Relay Timer*
- ✓ NEMA 4X Enclosure
- ✓ All Plastic - Corrosion Resistant
- ✓ All Cord Grips Included
- ✓ Simple Programming

The LevelPro® level process displays and controllers are the industry's most rugged and reliable wall-mount remote level displays.

The LevelPro® 250L Series level process display and controller is the industry's most rugged and reliable wall-mount remote level display.

LevelPro® 250L Series comes as a complete all-in-one unit, out of the box it is ready to use. Included is a vivid LCD display, NEMA 4X enclosure, polycarbonate faceplate, cord grips and plastic captive screws.

The industrial design of the 250L Series ensures it will withstand the industry's most corrosive environments.




Chameleon Color Display
Outdoor Visibility Display Automatically Changes from **Blue** to **Green**

Specifications

Display	4 Digit Chameleon Color LCD (38mm x 22mm)
Displayed Values	-999 ± 9999
Power Supply	Loop Powered
Protection Class	NEMA 4X IP67
Accuracy	0.1% @ 25°C One Digit
Operating Temperature	-20 - 158°F (-29 - 70°C)
Storage Temperature	-20 - 158°F (-29 - 70°C)
Protection Class	NEMA 4X IP67
Case	Wall Mounted Material - Polycarbonate
Dimensions (WxDxH)	110 x 105 x 67 mm

Model Selection


ITC250-L — Loop Powered Level Display		
Part Number	Input	Enclosure
ITC250-L	4-20mA	NEMA 4X



LevelPro® — 250L Series

Loop Powered Liquid Level Display

Wiring Diagram



Dimensions

